

Inactivated Vaccine Consent Form

Influenza Vaccine Arm Administration Site: \Box Left \Box Right

inactivated vacc	ine Conse	nt Form								
Section 1: Patient Information					/DD/YYYY)	:				
Last Name:	First Name:	<u>.</u>		Prov. Health Number:		Gender:		Age:		
Main Phone Number:	Alternate Ph	one Number:	Date of Birth	n (MM/DD/YYYY): Child's weight: (kg /			ght: (kg / lb	lb)		
Address:	City:	Province:	Postal Code	: Alberta re	Alberta residents: Are you a healthcare worker? ☐ Yes ☐ No					□ No
Emergency Contact's Last Name	e: Emergency (Contact's First Name:	Relationship				Contact's Number:	ct's Alternate Phone er:		
	<u> </u>			<u>'</u>						
Section 2: Screening Are you/your child currently side infection)			lays? (fever > 39.5	5°C, difficulty or o	change in b	reathing, a	ctive	Yes	No	Unsur
Have you had difficulty breath	ing, wheezing or che	st tightness within 24 l	hours of getting a	vaccine?						
Do you/your child have any all	ergies to medication	s, food, a vaccine con	nponent or latex?							
Have you/your child ever had	a reaction to egg or e	egg products but can s	still eat small amou	ints of egg? (e.g	. stomach a	che, skin r	eaction)			
Do you/your child have any im	•	•								
Do you/your child have a long- diabetes), anemia or other blo	od disorder?			na, kidney diseas	e, metaboli	c disease (e.g.			
Do you/your child have bleedin Have you/your child ever had a	<u> </u>	, ,								
In the past 3 months, have you anticancer drugs; drugs for the	ı/your child taken an	y medications that affe	ect the immune sys							
Are you/your child currently pr			•	, ,						
Have you/your child ever had	Guillain-Barré Syndro	ome within 6 weeks of	getting a vaccine	?						
Have you/ child ever had Ocul			lu vaccine?							
Have you received your pneum				and when:						
Have you received your menin	gococcal vaccines?	f yes, which vaccine_		and when: _						
and answers were given to minutes (or time recommende I am aware that it is possible (can be life-threatening and are of epinephrine, diphenhydram assistance. The symptoms of In the event of anaphylaxis, I we to my agent or EMS paramedicular I consent that information of	d by the pharmacis yet rare) to have an e medical emergen- nine, beta-agonists, an anaphylactic rea vill receive a copy of cs.	t) after getting the va extreme allergic reac cies. If I experience s and/or antihistamine action may include his this form containing	accine. ction to any compount a reaction for the second treation for the second treation on the second treation of the second treation o	conent of the vac ollowing vaccina at this reaction athing, swelling mergency treatn	ccine. Som ation, I am a and that 9- of the tong nents that I	e serious aware that -1-1 will b gue, throat had recei	reactions of t it may re- e called to t and/or lip ved, or a c	called " quire a o provi	anap dmin de ad	ohylaxis istratio dditiona
I confirm that I/my child want to								shingle	es vac	ccine
Patient/Agent Name (&	Patie	e	Date Signed (MM/				DD/YYYY)			
DUADAA OY UGE OX		4.5								
PHARMACY USE ON HEALTH CARE PROVIDER'S I Confirm the above named payaccine no more than 21 days apatient.	DECLARATION: atient is capable of p	roviding consent for th	e vaccine and tha	t the vaccine sho	ould be give					
Trivalent ☐ AGRIFLU® Influenza 0.5 mL IM Vaccine: DIN 02346850	☐ FLUAD [®] 0.5 mL IM DIN 02362384	☐ FLUAD Pediatric 0.25 mL IM DIN 02434881	0.5 mL IM DIN 0242068	0.5 mL IM	NE High-Do	0.5	INFLUVAC mL IM N 02269562	0.	5 mL	(IGRIP [©] IM 367718
Quadrivalent		ZONE® QUADRIVALENT single-dose vial 5mL multi-dose vial		□ AFLURIA® TETRA 0.5ml pre-filled syringe DIN 02473283 5ml multi-dose vial DIN 02473313						
Other Prevnar® Vaccine: 0.5 mL IM DIN 02335204	☐ Trumeni 0.5 mL IM	oa [®] □ Nimenrix [®] 0.5 mL IM	☐ Shingrix [®] 0.5 mL IM DIN 2468425	Arm Administra □ Left □ Righ		Vaccine L		√accine (MM/YY		
Date of Immunization (MM/DD/YYYY): Time of Immuni		#: Vaccine Expiry (MM/YYYY):	Health Care Pro	vider's Name & I	License #:		Signati	ure:		

consent-form_eng_2019-07-10_ver7.indd 1 2019-08-08 3:48 PM

Contacted Primary Prescriber: \square Yes \square No

Emergency Treatment: \square Yes \square No



•

Take control of your health now – get vaccinated at the convenience of your own local pharmacy.

Pneumococcal Disease

Pneumococcal disease is a concern all year long but is more common during the winter and spring months here in Canada. Pneumonia can be fatal and may target those diagnosed with diabetes.

Here are some key facts:

- You are at risk if:
 - you are > 50 years of age
 - you have asthma, COPD, chronic heart disease, liver disease, diabetes or cancer
- Up to 43% of people diagnosed with pneumonia in the emergency department end up admitted to a hospital
- Influenza and pneumonia are #6 on the list for "Top 10 Causes of Death in Canada"

Ask your healthcare provider about the **pneumococcal pneumonia vaccine** to decrease your risk of pneumonia. You may also ask your healthcare provider about the shingles vaccine.

Invasive Meningococcal Disease

Invasive Meningococcal Disease (IMD) is a serious bacterial infection which can lead to dangerous and sometimes fatal diseases such as meningitis (inflammation of the lining of the brain and spinal cord) and blood poisoning (sepsis).

Here are some key facts:

- IMD can be fatal within 24 hours of first symptoms. Even when the disease is treated early, 5-10% of patients die, typically within 24-48 hours after symptoms start
- Adolescents and young adults 15-24 years have a high rate of IMD
- IMD has historically occurred in schools, colleges, camps and other places
 where there are large numbers of adolescents and young adults. It can be spread
 through direct contact, kissing, sharing cups, drinks and utensils and living in
 close quarters

If a prescription is required, we can contact your prescriber! Talk to your pharmacist to see what they can do for you and your vaccination health today.